ELSEVIER

Brain Research 682 (1995) 251–252

BRAIN RESEARCH

Author Index

Allen, A.R., see Kirby, L.G. (682) 189
Anderson, D.C., see Zhang, R.-L. (682) 182
Angenstein, F., see Staak, S. (682) 55

Bachar, C., Haver, E., Kadar, T., Levy, A. and Lichtstein, D.
Possible involvement of atrial natriuretic peptides in olfaction (682) 231
Behnisch, T., see Staak, S. (682) 55
Blümcke, I., Wolf, H.K., Hof, P.R., Morrison, J.H. and Wiestler, O.D.
Regional distribution of the AMPA glutamate receptor subunits GluR2(4) in human hippocampus (682) 239
Bronzino, J.D., see Shultz, P.L. (682) 35
Buijs, R.M., see Kalsbeek, A. (682) 75

Carr, L.G., see Reed, G.E. (682) 1
Casarejos, M.J., see Pardo, B. (682) 133
Cheng, C., see Savelli, J.E. (682) 41
Chiba, S. and Wada, J.A.
Amygdala kindling in rats with brainstem bisection (682) 50
Chopp, M., see Zhang, R.-L. (682) 182
Chugh, A., see Savelli, J.E. (682) 41
Cleary, J., Hittner, J.M., Semotuk, M., Mantyh, P. and O'Hare, E.
Beta-amyloid(1–40) effects on behavior and memory (682) 69
Co, C., see Dworkin, S.I. (682) 116
Crusio, W.E., see Hensbroek, R.A. (682) 203
Czilli, D.L., see Li, W.Y. (682) 207

De Yébenes, J.G., see Pardo, B. (682) 133
Diana, M., Pistis, M., Muntoni, A.L. and Gessa, G.L.
Ethanol withdrawal does not induce a reduction in the number of spontaneously active dopaminergic neurons in the mesolimbic system (682) 29
Dworkin, S.I., Co, C. and Smith, J.E.
Rat brain neurotransmitter turnover rates altered during withdrawal from chronic cocaine administration (682) 116

Edrich, J., see Kristeva-Feige, R. (682) 22
Ehret, G., see Scharmann, M.G. (682) 83
Engelmann, M., see Kalsbeek, A. (682) 75
Erne, S., see Kristeva-Feige, R. (682) 22

Gabilondo, A.M., Meana, J.J. and García-Sevilla, J.A.
Increased density of μ-opioid receptors in the postmortem brain of suicide victims (682) 245
Galler, J.R., see Shultz, P.L. (682) 35
Gancher, S. and Mayer, A.
Sensitization to apomorphine-induced rotational behavior in 6-OHDA- lesioned rats: effects of NMDA antagonists on drug response (682) 63
García-Sevilla, J.A., see Gabilondo, A.M. (682) 245
Gautam, S.C., see Zhang, R.-L. (682) 182
Gessa, G.L., see Diana, M. (682) 29
Gomot, A. and Gomot, L.
Brain grafts of cerebral ganglia have effectiveness in growth restoration of damaged *Helix aspersa mesocerebrum* (682) 127
Gomot, L., see Gomot, A. (682) 127
Green, E.J., see McEchron, M.D. (682) 157
Guillot, P.-V., see Hensbroek, R.A. (682) 203

Harding, J.W., see Roberts, K.A. (682) 13
Härtig, W., see Wouterlood, F.G. (682) 93
Haver, E., see Bachar, C. (682) 231
Hensbroek, R.A., Sluyter, F., Guillot, P.-V., Van Oortmerssen, G.A. and Crusio, W.E.
Y chromosomal effects on hippocampal mossy fiber distributions in mice selected for aggression (682) 203
Hittner, J.M., see Cleary, J. (682) 69
Hof, P.R., see Blümcke, I. (682) 239

Jiang, N., see Zhang, R.-L. (682) 182
Johnson, R.L., see Savelli, J.E. (682) 41
Joseph, S.A., see Tassorelli, C. (682) 167

Kadar, T., see Bachar, C. (682) 231
Kagaya, A., see Kugaya, A. (682) 151
Kalsbeek, A., Buijs, R.M., Engelmann, M., Wotjak, C.T. and Landgraf, R.
In vivo measurement of a diurnal variation in vasopressin release in the rat suprachiasmatic nucleus (682) 75
Karius, D.R. and Speck, D.F.
Short-latency excitation of phrenic motor output mediated by non-NMDA receptors (682) 235

Kavaliers, M. and Kinsella, D.M.
Male preference for the odors of estrous female mice is reduced by the neurosteroid pregnenolone sulfate (682) 222
Kimelberg, H.K., see Olson, J.E. (682) 197
Kinsella, D.M., see Kavaliers, M. (682) 222
Kirby, L.G., Allen, A.R. and Lucki, I.
Regional differences in the effects of forced swimming on extracellular levels of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid (682) 189
Kirchner, J.E., see Reed, G.E. (682) 1
Klump, G.M., see Scharmann, M.G. (682) 83
Kramár, E.A., see Roberts, K.A. (682) 13
Krebs, L.T., see Roberts, K.A. (682) 13
Kristeva-Feige, R., Rossi, S., Pizzella, V., Tecchio, F., Romani, G.L., Erne, S., Edrich, J., Orlacchio, A. and Rossini, P.-M.
Neuromagnetic fields of the brain evoked by voluntary movement and electrical stimulation of the index finger (682) 22
Kugaya, A., Kagaya, A., Uchitomi, Y., Motohashi, N. and Yamawaki, S.
Inhibition of serotonin-induced Ca^{2+} mobilization by interleukin-1β in rat C6BU-1 glioma cells (682) 151
Kuwayama, H., see Shimada, H. (682) 212

Landgraf, R., see Kalsbeek, A. (682) 75
Lechan, R.M., see Toni, R. (682) 101
Levy, A., see Bachar, C. (682) 231
Li, W.Y., Czilli, D.L. and Simmons, L.K.
Neuronal membrane conductance activated by amyloid β peptide: importance of peptide conformation (682) 207
Lichtstein, D., see Bachar, C. (682) 231
Llabre, M.M., see McEchron, M.D. (682) 157
Lucki, I., see Kirby, L.G. (682) 189

Manning, A.M., see Zhang, R.-L. (682) 182
Mantyh, P., see Cleary, J. (682) 69
Mayer, A., see Gancher, S. (682) 63
McCabe, P.M., see McEchron, M.D. (682) 157
McEchron, M.D., McCabe, P.M., Green, E.J., Llabre, M.M. and Schneiderman, N.
Simultaneous single unit recording in the medial nucleus of the medial geniculate nucleus and amygdaloid central nucleus throughout habituation, acquisition, and extinction of the rabbit's classically conditioned heart rate (682) 157

Meana, J.J., see Gabilondo, A.M. (682) 245
Mena, M.A., see Pardo, B. (682) 133
Mishra, R.K., see Savelli, J.E. (682) 41
Morgane, P.J., see Shultz, P.L. (682) 35
Morii, H., see Shimada, H. (682) 212
Morrison, J.H., see Blümcke, I. (682) 239
Mosca, S., see Toni, R. (682) 101
Motohashi, N., see Kugaya, A. (682) 151
Muntoni, A.L., see Diana, M. (682) 29

Nagai, R., see Shimada, H. (682) 212
Neubort, S., see Sloviter, R.S. (682) 227

O'Hare, E., see Cleary, J. (682) 69
Olson, J.E. and Kimelberg, H.K.
Hypoosmotic volume regulation and osmolyte transport in astrocytes is blocked by an anion transport inhibitor, L-644,711 (682) 197
Orlacchio, A., see Kristeva-Feige, R. (682) 22
Orlandi, G., see Toni, R. (682) 101

Paíno, C.L., see Pardo, B. (682) 133
Panter, S.S., see Regan, R.F. (682) 144
Pardo, B., Mena, M.A., Casarejos, M.J., Paíno, C.L. and De Yébenes, J.G.
Toxic effects of L-DOPA on mesencephalic cell cultures: protection with antioxidants (682) 133
Pickel, V.M., see Van Bockstaele, E.J. (682) 215
Pistis, M., see Diana, M. (682) 29
Pizzella, V., see Kristeva-Feige, R. (682) 22

Reed, G.E., Kirchner, J.E. and Carr, L.G.
NF-Y activates mouse tryptophan hydroxylase transcription (682) 1
Regan, R.F. and Panter, S.S.
Traumatic neuronal injury in cortical cell culture is attenuated by 21-aminosteroids (682) 144
Roberts, K.A., Krebs, L.T., Kramár, E.A., Shaffer, M.J., Harding, J.W. and Wright, J.W.
Autoradiographic identification of brain angiotensin IV binding sites and differential c-Fos expression following intracerebroventricular injection of angiotensin II and IV in rats (682) 13
Romani, G.L., see Kristeva-Feige, R. (682) 22
Rossi, S., see Kristeva-Feige, R. (682) 22
Rossini, P.-M., see Kristeva-Feige, R. (682) 22
Ruggeri, F., see Toni, R. (682) 101

Savelli, J.E., Chugh, A., Cheng, C., Mishra, R.K. and Johnson, R.L.
Modulation of *N*-methyl-D-aspartate (NMDA) antagonist-induced darting behaviour by the peptidomimetic PAMTA (682) 41
Scharmann, M.G., Klump, G.M. and Ehret, G.
Discrimination training in a GO/NOGO-procedure alters the 2-deoxyglucose pattern in the Starling's forebrain (682) 83
Schneiderman, N., see McEchron, M.D. (682) 157
Semotuk, M., see Cleary, J. (682) 69
Shaffer, M.J., see Roberts, K.A. (682) 13
Shimada, H., Shimizu, T., Kuwayama, H., Suzuki, M., Nagai, R. and Morii, H.
Immunocytochemical localization of 155 kDa myosin light chain kinase and myosin heavy chain in bovine brain (682) 212
Shimizu, T., see Shimada, H. (682) 212
Shultz, P.L., Tonkiss, J., Morgane, P.J., Bronzino, J.D. and Galler, J.R.
Effects of an every other day rapid kindling procedure in prenatally protein malnourished rats (682) 35
Simmons, L.K., see Li, W.Y. (682) 207
Sloviter, R.S., Sollas, A.L. and Neubort, S.
Hippocampal dentate granule cell degeneration after adrenalectomy in the rat is not reversed by dexamethasone (682) 227
Sluyter, F., see Hensbroek, R.A. (682) 203
Smith, J.E., see Dworkin, S.I. (682) 116
Sollas, A.L., see Sloviter, R.S. (682) 227
Speck, D.F., see Karius, D.R. (682) 235
Staak, S., Behnisch, T. and Angenstein, F.
Hippocampal long-term potentiation: transient increase but no persistent translocation of protein kinase C isoenzymes α and β (682) 55
Suzuki, M., see Shimada, H. (682) 212

Tang, W.X., see Zhang, R.-L. (682) 182
Tassorelli, C. and Joseph, S.A.
Systemic nitroglycerin induces Fos immunoreactivity in brainstem and forebrain structures of the rat (682) 167
Tecchio, F., see Kristeva-Feige, R. (682) 22
Toni, G., see Toni, R. (682) 101
Toni, R., Mosca, S., Ruggeri, F., Valmori, A., Orlandi, G., Toni, G., Lechan, R.M. and Vezzadini, P.
Effect of hypothyroidism on vasoactive intestinal polypeptide-immunoreactive neurons in forebrain-neurohypophysial nuclei of the rat brain (682) 101
Tonkiss, J., see Shultz, P.L. (682) 35
Tsang, W., see Zhang, R.-L. (682) 182

Uchitomi, Y., see Kugaya, A. (682) 151

Valmori, A., see Toni, R. (682) 101
Van Bockstaele, E.J. and Pickel, V.M.
GABA-containing neurons in the ventral tegmental area project to the nucleus accumbens in rat brain (682) 215
Van Oortmerssen, G.A., see Hensbroek, R.A. (682) 203
Vezzadini, P., see Toni, R. (682) 101

Wada, J.A., see Chiba, S. (682) 50
Wiestler, O.D., see Blümcke, I. (682) 239
Wolf, H.K., see Blümcke, I. (682) 239
Wotjak, C.T., see Kalsbeek, A. (682) 75
Wouterlood, F.G. and Härtig, W.
Calretinin-immunoreactivity in mitral cells of the rat olfactory bulb (682) 93
Wright, J.W., see Roberts, K.A. (682) 13

Yamawaki, S., see Kugaya, A. (682) 151

Zaloga, C., see Zhang, R.-L. (682) 182
Zhang, R.-L., Chopp, M., Zaloga, C., Zhang, Z.G., Jiang, N., Gautam, S.C., Tang, W.X., Tsang, W., Anderson, D.C. and Manning, A.M.
The temporal profiles of ICAM-1 protein and mRNA expression after transient MCA occlusion in the rat (682) 182
Zhang, Z.G., see Zhang, R.-L. (682) 182